

MSDS: (Material Safety Data Sheet)



Ref# GBL-CKMO-2023/01

Global CKMO-22
Article No.: 2023-24-1

Page 1 of 9

SECTION 1: Identification of the substance/mixture:

1.1. Product identifier

Product Commercial name : Global CKMO-22
Product Chemical name : Knitting Oil
Product code : 172020
Product Description : Water soluble Lubricating oil
Uses advised against : Industrial use. This product must not be used in applications other than those recommended, without first seeking the advice of the supplier.

1.2. Relevant identified uses of the substance or mixture:

Lubricant (Mixture of Hydrocarbons); CAS no.: 8042-47-5

1.3. Details of the supplier:

Company name : Pacific Texchem Pvt. Ltd
Asia Address : 106, "Saurabh", Above Andhra Bank, Andheri Kurla Road, Chakala, Andheri (East), Mumbai – 400 093.
Contact : Info.globallubrication@gmail.com
Europe Address : AVENUE EUDORE PIRMEZ 7, 1040 BRUSSELS, BELGIUM
Contact : info@globallubrication.com

SECTION 2: Hazards identification

Classification of the substance or mixture

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aquatic Chronic 3, H412

Ingredients of unknown: Percentage of the mixture believed to consist of ingredient(s) of unknown toxicity: 5.5% bio toxicity

Ingredients of unknown Eco toxicity: Unknown

Classification according to Directive

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification: R52/53

Environmental Hazards: Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.1. Label elements

Hazard pictograms: No picture.

Signal word: No signal word.

2.2. Other hazards

Results of PBT and vPvB assessment: not applicable.

SECTION 3: Composition/information on ingredients

3.1. Mixtures

Chemical characterization: Mineral oil-based mixture with nonionic emulsifier, synthetic ester and other necessary agents.

Substance/mixture : Mixture
Description : Mineral oil with emulsifiers compounds
Ester : Synthetic ester
Other Agents : Anti rust, anti-corrosion, anti-static etc.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII.

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII.

MSDS:
(Material Safety Data Sheet)



Ref# GBL-CKMO-2023/01

Global CKMO-22
Article No.: 2023-24-1

Page 2 of 9

SECTION 4: First aid measures

4.1. Description of first aid measures:

- General information** : When in doubt or if symptoms are observed, get medical advice. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if nausea adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin Contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders:** No action shall be taken involving any personal risk or without suitable to the person providing aid to give mouth-to-mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Potential acute health effects

- Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

4.3. Over-exposure signs/symptoms

- Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

4.4. Indication of any immediate medical attention and special treatment needed

- Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled
- Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

ABC, BC, B type extinguisher, Class F extinguisher, Carbon dioxide (CO₂), Sand.

Unsuitable extinguishing media

Water/Full water jet.

5.2. Special hazards arising from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

MSDS: (Material Safety Data Sheet)



Ref# GBL-CKMO-2023/01

Global CKMO-22
Article No.: 2023-24-1

Page 3 of 9

Hazardous combustion Products:

Decomposition products may include the following materials:

Carbon dioxide
Carbon monoxide
Metal oxide/oxides

5.3. Advice for fire fighters:

Special precautions for Fire-fighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective Equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Additional information: Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

Emergency procedures: Slippery when spilled, clean up immediately. Wear protective equipment to prevent skin and eye damage.

Methods and materials for containment and Clean-up: Stop the source of leakage or release and contain spill if possible. Cover spill with generous amount of inert absorbent material such as sand earth. Sweep up and remove to suitable, clearly marked containers for disposal in accordance with local regulations. Scrub contaminated area with detergent and water. Pick up liquid with additional absorbent material and dispose as above. Wear protective equipment during clean-up.

6.1 Personal precautions, protective equipment and emergency procedures

Equipment for fire-fighters: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental Precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material- May be harmful to the environment if released in large quantities.

6.3 Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble- absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures:

Put on appropriate personal protective equipment (see Section 8). Do not ingest Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tight close when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

General occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

MSDS: (Material Safety Data Sheet)



Ref# GBL-CKMO-2023/01

Global CKMO-22
Article No.: 2023-24-1

Page 4 of 9

- 7.2 Conditions for safe Storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
- 7.3 Specific end use(s) Recommendations** : Not available.
- Industrial sector specific Solutions** : Not available.

SECTION 8: Exposure controls/personal protection

Basic Materials: Ventilation of area, chemical safety goggles, Rubber gloves, availability of respirators. Safety showers & eyebath.

- 8.1. Control parameters** : No exposure limits value known.
- 8.2. Recommended monitoring Procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and / or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
- 8.3. Derived effect levels**
No DELs available.
- 8.4. Predicted effect concentrations**
No PECs available.
- 8.5. Exposure controls**
- Engineering measures to reduce exposure**
Mechanical ventilation and local exhaust will reduce exposure via the air. Use oil resistant material in construction of handling equipment. Store under recommended conditions and if heated, temperature control equipment should be used to avoid overheating.
- Protective and hygiene measures**
Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
- Hand protection** : Wear suitable gloves. Recommended glove articles: DIN EN 374. Suitable material: NBR (Nitrile rubber). Breakthrough time (maximum wearing time): > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed & the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Environmental controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubber filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

MSDS:
(Material Safety Data Sheet)



SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance : Clear Light Yellow Liquid
Kinematic viscosity/ at 40°C mm2/sec : 22 ± 2.0
Solubility in Water : Soluble
pH (10% Emulsion) : 6.0-8.0
Ionic Nature : Nonionic
Melting point : not determined
Initial boiling point and boiling range : not determined
Pour point : - 18 °C ± 1.0, Method used COC
Flash point : 180 °C ± 2.0, Method used COC
Lower explosion limits : 0,60 vol. %
Upper explosion limits : 6,50 vol. %
Ignition temperature : Not information available
Decomposition temperature : < 0,1 hPa
Vapor pressure: (at 20 °C) : not determined
Density (at 20 °C) : 0,832 g/cm³ DIN EN ISO 12185
Water solubility : emulsifiable
Partition coefficient : not determined
Viscosity / dynamic : not determined
Flow time : not determined
Vapor density : not determined

SECTION 10: Stability and reactivity

Reactivity : No information available.
Chemical stability : Product is chemically stable.
Possibility of hazardous reactions : No hazardous reaction when handled and stored according to provisions.
Conditions to avoid : Excessive heat, Fire.
Incompatible materials : Strong oxidizing agent & strong acids.
Hazardous polymerization product : None
Hazardous decomposition products : No hazardous reactions with proper storage and handling.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Human experience : Prolonged skin contact may cause skin irritation and/or dermatitis
Acute toxicity : Based on available data, the classification criteria are not met.
Assumed Acute toxicity (oral): LD50: > 2000 mg/kg
Irritation and Corrosivity : Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

11.2. Teratogenicity

Conclusion/Summary : Not available.

STOT (Specific target organ toxicity)-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

11.3. Aspiration hazard

Product/Ingredient Name	Result
Distillates (petroleum), solvent-dewaxed heavy paraffinic	ASPIRATION HAZARD – Category 1
Information on the likely	Not available.

**MSDS:
(Material Safety Data Sheet)**



Potential acute health effects

Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Eye contact : No known significant effects or critical hazards.

Practical experience : Brief contact with used oil is not expected to have serious effect in humans if the oil is removed thoroughly by washing with soap and water. Used machine oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and the present risks to health and the environment on disposal. All used oils should be handled with caution and skin should be avoided.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.
 Ingestion : No specific data.
 Skin contact : No specific data.
 Eye contact : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential Immediate Effects : Not available.
Potential delayed Effects : Not available.

Long term exposure

Potential Immediate Effects : Not available.
Potential Immediate Effects : Not available.

Potential chronic health effects: Not available.

Conclusion/Summary

General : Not available.
General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.
Other Information : No available.

SECTION 12: Ecological information

The product is easily biodegradable & will not cause in disturbance in waste water treatment plant. Due to low solubility/dispersion large amounts needs to be eliminated by separator such as those used for fats & oils.

Impact on aquatic organism : Data no available

12.1. Toxicity

Aquatic toxicity: LC50 / EC50 / IC50: > 100 mg/L

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
68002-96-0	alcohols, C16-18, ethoxylated, propoxylated					
	Fish toxicity	LC50 >100 mg/l	96 h	Brachydanio rerio	OECD 203	
	Algae toxicity	ErC50 >10 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 202	
	Crustacea toxicity	EC50 >10 mg/l	48 h	Daphnia magna	OECD 202	

12.2. Persistence and degradability

Biodegradation: > 80% (Method: OECD 301 C; Test duration: 28 d)
evaluation: The product is: Readily biodegradable (according to OECD criteria).

Product/Ingredient name	Aquatic half-life	Photolysis	Biodegradability
Distillates (petroleum), solvent-dewaxed heavy paraffinic 2, 6-Di-tert-butyl-p-cresol	--	--	Inherent Not readily

MSDS:
(Material Safety Data Sheet)



12.3. Bio-accumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

Clean up with inert substance like sand. Dispose this off as per the local regulations. Do not discharge in sewer system. Disposal should be in accordance with local, state or national legislation

Waste treatment methods

- Disposal operations** : Transfer to a suitable container and arrange for collection by specialized disposal company.
- Advice on disposal** : The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
- Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.
- Product Disposal** : Used or waste oil should be recycled or disposed off in conformity to local disposal regulations. Contact local authorities for approved disposal contractor.
- Container Disposal** : Empty drums should be completely drained and sent to drum re-conditioner or properly disposed off. Non-reusable small containers should be recycled or disposed off. Ensure conformity to local disposal laws.
- Contaminated packaging:** Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal

SECTION 14: Transport information

No restriction on transportation as it's not a regulated product.

Land transport (ADR/RID)

- 14.1. UN number** : No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name** : No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard classes** : No dangerous good in sense of this transport regulation.
- 14.4. Packing group** : No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- 14.1. UN number** : No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name** : No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard classes** : No dangerous good in sense of this transport regulation.
- 14.4. Packing group** : No dangerous good in sense of this transport regulation.
- 14.5. Marine pollutant** : No

Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number** : No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name** : No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard classes** : No dangerous good in sense of this transport regulation.
- 14.4. Packing group** : No dangerous good in sense of this transport regulation.
- 14.5. Special precautions for user** : No data available

MSDS:
(Material Safety Data Sheet)



Ref# GBL-CKMO-2023/01

Global CKMO-22
Article No.: 2023-24-1

Page 8 of 9

SECTION 15: Regulatory information

According to available data, this product is not dangerous however one should observe precautionary measures for dealing with chemicals according to federal state & local requirement.

15.1. Safety, health and environmental regulations/legislation specific for the substance or

Mixture National regulatory information:

Water contaminating class (D): 2 - clearly water contaminating

EU Regulation (EC) No. 1907/2008 (REACH):

Annex XIV-List of substances subject to authorization Substances of very high concern

None of the components are listed.

Annex XVII-Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not available.

Other EU Regulations

Europe Inventory : Not determined.
Black List Chemicals : Not Listed
Priority List Chemicals : Not Listed
Integrated pollution Prevention & control list (IPPC) : Not Listed
Air Integrated pollution Prevention and control List (IPPC)-Water : Not Listed

International Regulations

Chemical Weapons Conventional List Schedule I : Not Listed

Chemical Weapons Conventional List Schedule II : Not Listed

Chemical Weapons Conventional List Schedule III : Not Listed

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR : Accord européen relatif au transport international des marchandises dangereuses par route (European agreement concerning the International Carriage of Dangerous Goods by Road)
RID : Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)
IMDG : International Maritime Code for Dangerous Goods
IATA : International Air Transport Association
ICAO : International Civil Aviation Organization
CAS : Chemical Abstracts Service (a division of the American Chemical Society)
DNEL/DMEL : Derived No-Effect Level / Derived Minimal Effect Level
PNEC : Predicted No Effect Concentration
WEL (UK) : Workplace Exposure Limits
TWA (EC) : Time-Weighted Average
STEL (EC) : Short Term Exposure Limit
ATE : Acute Toxicity Estimate
LD50 : Lethal Dose, 50% (median lethal dose)
LC50 : Lethal Concentration, 50% (median lethal concentration)
EC50 : Half maximal Effective Concentration
ErC50 : EC50 in terms of reduction of growth rate

MSDS: (Material Safety Data Sheet)



Ref# GBL-CKMO-2023/01

Global CKMO-22
Article No.: 2023-24-1

Page 9 of 9

Relevant H and EUH statements (number and full text):

H412	: Harmful to aquatic life with long lasting effects.
EUH210	: Safety data sheet available on request.
H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H332	: Harmful if inhaled.
H400	: Very toxic to aquatic life
H410	: Very toxic to aquatic life with long lasting effects
H412	: Harmful to aquatic life with long lasting effects.

Full text of classifications [CLP/GSH]:

Acute Tox. 4, H4332	: ACUTE TOXICITY: INHALAN – Category 4
Acute Acute 1, H4332	: ACUTE TOXICITY (ACUTE) – Category 1
Acute Chronic 1, H410	: ACUTE TOXICITY (CHRONIC) – Category 1
Acute Chronic 3, H412	: ACUTE TOXICITY (CHRONIC) – Category 3
Asp. Tox. 1, H304	: ASPIRATION HAZARD – Category 1
Eye Dam. 1, H318	: SERIOUS EYD DAMAGE/EYE IRRITATION– Category 1
Skin Irrit. 2, H410	: CORROSION/IRRITATION – Category 2

Full text of abbreviated R Phrases:

R20	: Harmful by inhalation.
R 41	: Risk of serious damage to eyes.
R38	: Irritating to skin.
R50/53	: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R52/53	: Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

Full text of classifications [DSD/DPD]:

Xn	: harmful
Xi	: Irritant
N	: Dangerous for the environment

Notice to readers:

This safety datasheet applies only to products originally packaged and labeled by Pacific Texchem Pvt Ltd. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of Pacific Texchem Pvt Ltd. The document may pass on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the internet) beyond this legally required extent is not permitted without express written consent.

All information and instructions in this safety datasheets were compiled with the best on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains the responsibility of the user.

Declaration:

Basically, Global CKMO Oils are easily removable by conventional washing. Due to different factors of influence during the bleaching and washing process, we cannot give any guarantee for the treatment of oil-contaminated fabric. Please always check the wash-ability under real conditions in your production. Monitor the lubricant quantity and to readjust it, don't top up oil directly in fabric/fabric roll. If necessary Advice on applications not covered in this leaflet, may be obtained from your representative.